

COMMERCIAL EARTHQUAKE & DIC QUOTE FORM

Agents Name: _____ Date: _____

Telephone: _____ Fax: _____ Email Address: _____

GENERAL INFORMATION

Named Insured: _____

DBA: _____

Mailing Address: _____

Property Address: _____

Policy Limit Requested: \$ _____ Deductible Requested: 5% 10% 15% 20%

Inspection Contact Name: _____ Inspection Contact Number: _____

Effective Date: _____ Desired Quote Date: _____

Underwriting Information:

Building(s) Total Value: \$ _____ (If Multiple Buildings, Building Supplemental Required)

Total Sq. Ft. Living Space: _____ Total Sq. Ft. Parking Space: _____

Total Number of Buildings: _____ Year Built: _____ #Living Stories: _____

#Parking Stories: _____ Occupancy Type: _____

Hangovers or Setbacks? Yes No Unknown

Building Shape: Regular Irregular Unknown Number of Units: _____

Construction Type:

Wood Frame/Stucco Joisted Masonry-Tilt Up Joisted Masonry-Unreinforced Masonry

Masonry Non-Combustible Reinforced Concrete or Steel Frame

Type of Parking:

Tuck Under Tuck Under 2 Sides Subterranean Partial Subterranean Street

Habitational Over Garage Detached Attached (No Structure Above) First Floor Soft First floor

Distance to Cliffs or Hillside: _____ Prior EQ Losses: Yes No

Date Of Loss: _____ Amount of Loss: \$ _____

Optional Coverages:

Contents Value: \$ _____ Business Income/Extra Expense: \$ _____

Ordinance or Law: 10% 20% of Building Sub-Limits

Tenants Improvements & Betterments: \$ _____ (Must have a given value to be quoted)

Mold Clean Up & Removal Limit \$10,000: Yes No

Flood: Yes No Flood Zone: _____ EQ Sprinkler Leakage: Yes No

Additional Property Coverage: \$ _____ (Pools, Spas, Fences&/or Paved Surfaces)

Insured Signature

Agent Signature

EARTHQUAKE PROGRAM SUPPLEMENTAL INFORMATION

Building Number _____ Amount of Coverage: \$ _____
Complete Address: _____
City, State, Zip: _____
Total Square Footage: _____

Building Number _____ Amount of Coverage: \$ _____
Complete Address: _____
City, State, Zip: _____
Total Square Footage: _____

Building Number _____ Amount of Coverage: \$ _____
Complete Address: _____
City, State, Zip: _____
Total Square Footage: _____

Building Number _____ Amount of Coverage: \$ _____
Complete Address: _____
City, State, Zip: _____
Total Square Footage: _____

Building Number _____ Amount of Coverage: \$ _____
Complete Address: _____
City, State, Zip: _____
Total Square Footage: _____

Building Number _____ Amount of Coverage: \$ _____
Complete Address: _____
City, State, Zip: _____
Total Square Footage: _____


Building Number _____ Amount of Coverage: \$ _____
Complete Address: _____
City, State, Zip: _____
Total Square Footage: _____

Building Number _____ Amount of Coverage: \$ _____
Complete Address: _____
City, State, Zip: _____
Total Square Footage: _____


Building Number _____ Amount of Coverage: \$ _____
Complete Address: _____
City, State, Zip: _____
Total Square Footage: _____

Building Number _____ Amount of Coverage: \$ _____
Complete Address: _____
City, State, Zip: _____
Total Square Footage: _____


Parking Configurations for Earthquake




Type: None




Type: Tuckunder - 1 side




Type: First Floor Parking




Type: Detached




Type: Tuckunder - 2 sides




Type: Soft First Floor




Type: Attached - No Structure Above



Type: Full Subterranean



Type: Habitational over Garage



Type: Partial Subterranean

NONE – No parking structure at the location.

DETACHED – parking structure is not attached to the building.

ATTACHED – NO STRUCTURE ABOVE – Parking structure is attached to the building, but there is no occupied space above the parking.

HABITATIONAL OVER GARAGE (HOG) – Parking area on first floor, with occupied space above. Parking area has walls between stalls and shear wall on ends. Often seen in townhouses or apartments.

TUCKUNDER – 1 SIDE – One wall of first floor parking is open, with no garage door. Support columns are used in lieu of shear walls in open wall.

TUCKUNDER – 2 SIDES – More than one wall is open for parking. Treated as Soft First Floor Parking.

FULL SUBTERRANEAN – Parking is located under the building with wall underground. Walls are generally concrete or concrete block. Ceilings are concrete supported by concrete columns. Access to parking is by ramps.

PARTIAL SUBTERRANEAN – Similar to full subterranean, except that ground slopes down to side of access is at ground level. Side walls of parking are not completely shear walls.

FIRST FLOOR PARKING – Parking is on first floor of structure. Three walls of parking area are shear walls, with the fourth having garage doors.

SOFT FIRST FLOOR PARKING – Parking is on first floor of structure. Walls are open, with no shear strength. Instead of shear walls, the perimeter has support columns.